



KEY NOTES

- 1 INSTALL POLE MOUNTED CALL BOX & BLUE LIGHT TO EXISTING LIGHT POLE PER MFG. RECOMMENDATION. CONNECT TO EXISTING LIGHT POLE POWER CIRCUIT.
- 2 INSTALL BLDG. MOUNTED CALL BOX & BLUE LIGHT TO EXISTING BUILDING PER MFG. RECOMMENDATIONS. CONNECT TO BUILDING POWER.
- 3 INSTALL TOWER CALL BOX PER MFG. RECOMMENDATIONS. INSTALL UNDERGROUND CONDUIT TO NEAREST LIGHT POLE OR BUILDING FOR POWER CONNECTION.
- 4 INSTALL WIDE EMERGENCY BROADCAST SYSTEM ON TOP OF TOWER
- 5 INSTALL CAMERA - HARDWARE TO BUILDING
- 6 EXISTING SIDEWALK
- 7 EXISTING CURB/GUTTER
- 8 EXISTING STRIPED PARKING
- 9 EXISTING LIGHT POLE
- 10 NEW 4" CONCRETE PAD/WALKWAY - REIN. W/#3 @ 24" EACH WAY. SLAB TO BE MAX. 1:20 SLOPE. INSTALL OVER 4" TYPE II BASE W/ 95% COMPACTION.
- 11 EXISTING CONCRETE CURB - CUT AS REQUIRED FOR NEW ADA ACCESSIBLE CONCRETE PAD

A3

CALL BOX PAD DETAILS

SCALE = 1/8" = 1'-0"

00-000

No:	Revision	Approved	Date

Campus: CHEYENNE
 Rm(s) Area: SITE
 Project:
**QUICK RESPONSE
 EMERGENCY CALL BOX**



**DEPARTMENT OF
 FACILITIES MANAGEMENT**
 CHEYENNE CAMPUS
 320 EAST CHEYENNE AVENUE, SUITE 200
 CHEYENNE, WY 82001
 PHONE: (772) 651-4888 FAX: (772) 651-2875

SEAL:
 These drawings are property of CSN and may not be reproduced or used in any form without the written consent.

Job #: CC-11045A
 Dwg. Name: C1-01-DETAILS
 Drawn: WSS
 Date: 11/21/11
 Scale: 1/8" = 1'-0"

Sheet Title:
**SECURITY
 SITE DETAILS**
 Sheet:
C1.02