



KEY NOTES

- 1 INSTALL POLE MOUNTED CALL BOX & BLUE LIGHT TO EXISTING LIGHT POLE PER MFG. RECOMMENDATION. CONNECT TO EXISTING LIGHT POLE POWER CIRCUIT.
- 2 INSTALL BLDG. MOUNTED CALL BOX & BLUE LIGHT TO EXISTING BUILDING PER MFG. RECOMMENDATIONS. CONNECT TO BUILDING POWER.
- 3 INSTALL TOWER CALL BOX PER MFG. RECOMMENDATIONS. INSTALL UNDERGROUND CONDUIT TO NEAREST LIGHT POLE OR BUILDING FOR POWER CONNECTION.
- 4 INSTALL WIDE EMERGENCY BROADCAST SYSTEM ON TOP OF TOWER
- 5 INSTALL CAMERA - HARDWARE TO BUILDING
- 6 EXISTING SIDEWALK
- 7 EXISTING CURB/GUTTER
- 8 EXISTING STRIPED PARKING
- 9 EXISTING LIGHT POLE
- 10 NEW 4" CONCRETE PAD/WALKWAY - REINFC. W/#3 @ 24" EACH WAY. SLAB TO BE MAX. 1:20 SLOPE. INSTALL OVER 4" TYPE II BASE W/ 95% COMPACTION
- 11 EXISTING CONCRETE CURB - CUT AS REQUIRED FOR NEW ADA ACCESSIBLE CONCRETE PAD
- 12 EXISTING CONCRETE SLAB - CUT AS REQUIRED FOR NEW TOWER CALL BOX. PATCH & REPAIR SLAB AS REQUIRED.
- 13 REMOVE AND RE-LOCATE EXISTING LANDSCAPING
- 14 INSTALL BLUE LIGHT ABOVE ARCHWAY

A3 CALL BOX PAD DETAILS
SCALE = 1/8" = 1'-0"

No:	Revision	Approved	Date

Campus: HENDERSON
Rm(s) Area: SITE
Project:
QUICK RESPONSE EMERGENCY CALL BOX



DEPARTMENT OF FACILITIES MANAGEMENT
 CHEYENNE CAMPUS
 3205 SOUTH GARDNER BLVD., SUITE 200
 WEST PALM BEACH, FL 33411
 PHONE: (772) 651-4888 FAX: (772) 651-2875

SEAL
 These drawings are property of CSN and may not be reproduced or used in any form without the written consent.

Job #: HC-11045C
Dwg. Name: C1-01-DETAILS
Drawn: WSS
Date: 11/21/11
Scale: 1/8" = 1'-0"

Sheet Title:
SECURITY SITE DETAILS
 Sheet:
C1.02